

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION**

895 Aerovista Place, Suite 101  
San Luis Obispo, California 93401-7906

Public Notice No. R3-2008-0037

**NOTICE OF PROPOSED SETTLEMENT OF ALLEGED VIOLATIONS OF CLEANUP  
AND ABATEMENT ORDER NO. R3-2004-0063, CLEANUP AND ABATEMENT ORDER  
NO. R3-2007-0087, AND CALIFORNIA WATER CODE SECTION 13267**

**For**

**BARDEX CORPORATION  
GOLETA,  
Santa Barbara County**

The Assistant Executive Officer of the California Regional Water Quality Control Board, Central Coast Region (Water Board), on behalf of the Water Board's Prosecution Team is noticing for public comment a settlement agreement (Order No. R3-2008-0037 on Stipulation and Settlement Agreement in the matter of Administrative Civil Liability Complaint No. R3-2008-0037) between the Water Board Prosecution Team and Bardex Corporation. The settlement proposes to resolve alleged violations of Cleanup and Abatement Order No. R3-2004-0063, Cleanup and Abatement Order No. R3-2007-0087, and California Water Code Section 13267 involving soil and groundwater contamination beneath the Bardex Corporation facility located at 6338 Lindmar Drive in Goleta. The agreement stipulates that Bardex Corporation will pay twenty-five thousand dollars (\$25,000) to resolve the alleged violations.

Persons wishing to comment on the proposed settlement are invited to submit comments in writing to the Prosecution Team, attention Todd Stanley, at the above address no later than **July 17, 2009**.

On behalf of the Water Board, the Water Board Executive Officer will consider the proposed settlement and comments after the public comment period.

Proposed Order No. R3-2008-0037 on Stipulation and Settlement Agreement in the matter of Administrative Civil Liability Complaint No. R3-2008-0037 is available at the Water Board's website located at: [www.waterboards.ca.gov/centralcoast](http://www.waterboards.ca.gov/centralcoast), by selecting the "Public Notices" tab near the top of the page. The Proposed Order and all comments received may be inspected at the offices of the Central Coast Regional Water Quality Control Board, 895 Aerovista Place, Suite 101, San Luis Obispo, weekdays between 8 a.m. and 5 p.m. For additional information, please call Todd Stanley at (805) 542-4769.

Please bring the forgoing to the attention of any persons known to you who would be interested in this matter.